



UROPEAN ngineered & lanufactured

# FRESH & PLANT 2.0 PERFORMANCE LED STRIP LIGHTS



The Fluval Fresh & Plant 2.0 Performance LED Strip Light is an evolution of our previous generation of freshwater and plant LEDs, now featuring greater light output and a new illuminated touch-sensitive switch with dimming control. This profession-grade LED strip light features 5 unique band waves to ensure balanced full-spectrum coverage vital for aquatic plant growth, color and health.

#### **VERSATILE MOUNTING OPTIONS**







Mounting with a cabinet (A3978 Fluval Performance LED Mounting Clips, sold separately) Suspended (A3979 Fluval Performance LED Suspension Kit, sold separately) Mounting on frame

Wide-angle light dispersion (120° angle) ensures full aquarium coverage and uniform lighting

120°




## FULL SPECTRUM Freshwater & Plant LED Lighting





3-setting illuminated, dimmable touch switch provides daytime, night time or off selection options.



#### WATERPROOF LESS LIGHT LOSS

With an IPX7 waterproof rating, the Fresh & Plant 2.0 LED can be mounted directly above the water surface for greater light penetration and efficiency.





The Fresh & Plant 2.0 LED can not only endure regular splashing, but even temporary submersion in the event the unit is dropped under water accidentally.

ABLE



	61 cm (24") LED	91 cm (36") LED	122 cm (48") LED
ITEM #	A3990	A3991	A3992
SIZE	61 cm - 85 cm (24"- 34")	91 cm - 122 cm (36"-48")	122 cm-153 cm (48"-60" )
WATTAGE	32 W	46 W	59 W
LUMENS	2350 lm	3300 lm	4250 lm
COLOR TEMPERATURE	7500 K	7500 K	7500 K
LEDS	168	252	356
LIFETIME HOURS	50 000	50 000	50 000

### AURA PERFORMANCE LED LAMP

The Aura nano and desktop freshwater aquarium LED helps grow bigger, more vibrant plants thanks to a high-output 7500 K color temperature and powerful C.O.B (Chip On Board) technology, which efficiently packs a greater number of mini LEDs into a tighter space. Illuminated by a touch switch control, Aura offers 120° light dispersion for superior aquarium coverage and uniform lighting.





Fresh & Plant 2.0 LED 48-60" 59w	
116511 & FIAIL 2.0 LLD 40-00 JSW	Aura Fresh & Plant Nano LED 12w
Code	Code
A3992	A3972



WIFI Compatible



**EUROPEAN Engineered &** Manufactured



## MARINE & REEF 2.0 **PERFORMANCE LED STRIP LIGHTS**



Building on the success of our previous generation of marine and reef LEDs, the Fluval Marine & Reef 2.0 Performance LED Strip Light features greater light output and a new illuminated touch-sensitive switch with dimming control. 6 unique light spectrum bandwaves (four of which are essential actinic blue wavelengths) ensure balanced full spectrum coverage for vibrant coral growth, color and health.

### **VERSATILE MOUNTING OPTIONS**





Mounting with a cabinet (A3978 Fluval Performance LED Mounting Clips, sold separately)





Mounting on frame

Wide-angle light dispersion (120° angle) ensures full aquarium coverage and uniform lighting

120



## FULL SPECTRUM MARINE & REEF LED LIGHTING






WATERPROOF

With an IPX7 waterproof rating, the Marine & Reef 2.0 LED can be mounted directly above the water surface for greater light penetration and efficiency.

LESS LIGHT LOSS

3-setting illuminated, dimmable touch switch provides daytime, night time or off selection options. **Relative Spectral Energy Distribution** 





The Marine & Reef

2.0 LED can not only endure regular splashing, but even temporary submersion in the event the unit is dropped under water accidentally.

	61 cm (24") LED	91 cm (36") LED	122 cm (48") LED
ITEM #	A3993	A3994	A3995
SIZE	61 cm - 85 cm (24"- 34" )	91 cm - 122 cm (36"-48")	122 cm-153 cm (48"-60")
WATTAGE	32 W	46 W	59 W
LUMENS	1350 lm	1950 lm	2550 lm
COLOR TEMPERATURE	25000 K	25000 K	25000 K
LEDS	168	252	356
LIFETIME HOURS	50 000	50 000	50 000

## HALO PERFORMANCE LED LAMP

Specifically designed to grow bigger and brighter corals in nano/desktop saltwater environments, Halo features a high-output 25000 K color temperature and powerful C.O.B (Chip On Board) technology and offers improved illumination, efficiency and spectral performance. Halo is also highlighted by its versatility and practicality. This is apparent by means of its waterproof IPX7 rating, gradual dimming capability, and fully adjustable lamp and bracket positioning. SALT

ITEM #	A3973		
SIZE	14 cm x 15.5 cm (5.5" x 6")		
WATTAGE	22 W		
LUMENS	1050 lm		
COLOR TEMPERATURE	25000 K		
LEDS	42		
	50.000		



Marine & Reef 2.0 LED 24-34" 32w Code

A3993

Marine & Reef 2.0 LED 36-48" 46w
Code

A3994

Marine & Reef 2.0 LED 48-60" 59w
Code
12005

Halo Marine & Reef Nano LED 22w
Code
A3973



## PRO 2.0 WiFi MODULE

Designed to independently control up to two Fluval 2.0 performance series LEDs, the ALL-NEW Pro 2.0 WiFi Module provides wireless, realtime management of your aquarium lighting from the convenience of your smartphone or mobile device.

OPERATE FROM YOUR MOBILE DEVICE (APPLE IOS OR ANDROID)

> COMPATIBLE WITH

MARINE & REEF 2.0 LED FRESH & PLANT 2.0 LED

LED PRO 2.0 WIFI MODULE

FUVAL

Controls up to 2 PRO 2.0 LED Lamps Controle jusqu'à 2 rampes d'éclairage à DEL PRO 2.0 Steuert bis zu 2 PRO 2.0 LED-Lampen WÎFi

FULLY ADJUSTABLE LIGHT SETTINGS

Fluval LED Wi-Fi Controller Code

A3976

\_\_\_\_

**SCAN** 

TO ORDER

Gateway Login

FUJVAL

172.20.211.1

9285